


VERTICAL ASME AIR RECEIVER/ CHILL WATER STORAGE TANKS



PART NUMBER	ACTUAL VOLUME	CUBIC FEET	DIAMETER OD	LENGTH TL	HEIGHT HT	W.P.	WEIGHT
IAR-660	660 GAL	88.2	42	117	125	137	1180
IAR-660X	660 GAL	88.2	42	117	125	200	1570
IAR-1060	1060 GAL	141.7	48	144	152	137	1802
IAR-1060X	1060 GAL	141.7	48	144	152	137	2450

PART NUMBER	A (IN.)	B (IN.)	C (IN.)	D (IN.)	E (IN.)	F (IN.)	G (IN.)	H (IN.)	J (IN.)
IAR-660	13-1/2	24-1/2	41-1/2	17	8	39-1/2	2	1/2	1/4
IAR-660X	13-1/2	24-1/2	41-1/2	17	8	39-1/2	2	1/2	1/4
IAR-1060	16	38	48	20	8	39-1/2	2	1/2	1/4
IAR-1060X	17	38	48	20	8	39-1/2	2	1/2	1/4

Larger sizes can be fabricated to meet your needs. Options include Relief Valves, Pressure Gauges and manual or automatic underdrains. Please contact us for information.

USE: For Storage of Compressed Air/Chill Water Storage

SPECIFICATION:

Carbon Steel Construction
Primed & Painted Exterior

Maximum Temperature 650° F
See Column for Working Pressure of Tank (W.P.)

JOB NAME _____
 LOCATION _____

 CONTRACTOR _____
 CONTRACTOR P.O. NO. _____

ITEMS	QUANTITY
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____



A GFP Company
 108-C North Shorecrest Drive
 Columbia, SC 29209
 803.783.0648
 TOLL FREE 866.267.1379
 FAX 803.783.0158

www.mechanicalroomsupplies.com